

1. Content



All Big Sunrise contents are in one carry-on bag.

Content items are as follows:



Pole bag X1





Innertent X1

Pegset X1




Pole bag contents



Long pole X1 Short pole X2 Porch pole X2 * Pole repair kit X1

To prevent breakage, make sure that the pole joints are firmly connected before proceeding.



Inner partition curtain X1



Vestibule ground sheet X1



290 X 286cm

* How to use pole repair kit:

When the pole is accidentally cracked, put the pole repair kit into the cracked position of the pole and fix it with tape.


Please be sure to connect the pole repair kit before setting up the tent. And contact the purchase store as soon as possible to replace the cracked pole, so as to avoid more damage.

1


2. Dimension



Outer tent size : $510 \times 380 \times 205$ (H) cm Inner tent size : $215 \times 360 \times 190$ (H) cm



3. Set up the outer tent





Note

Make sure the poles are jointed properly and tightly to prevent damage to the poles due to the wrong point of application of force when propping up the tent.

1

Insert the short pole into the ① sleeve (black).



2

Insert the short pole into the ② sleeve (red).



3

At the \diamondsuit mark (6 places): Insert the pin of the ring & pin connector into one end of the pole. Bend the pole slightly into an arc shape and insert the other ring & pin.




4

At the \triangle mark (14 places): Fasten the buckle to the pole.



5



After the frame is fixed, the tent will be as shown as the figure below. Adjust the position of the tent and stake the webbing strap at ① into the ground.

Note


Before propping up the tent and staking the pegs, make sure all the fixing buckles are securely fastened to the poles to prevent damage to the poles caused by sudden strong winds.

When inserting the poles into the sleeves, please keep the tent flat on the ground and do not stand it up in case of deformation of the poles.

Notes for staking the adjustable webbing straps: only when the straps are used correctly can you adjust the tension.




6



After staking down the front side, stand up the tent and spread it out before staking down at ②. Finally, adjust the tent and stake down at ③, ④, and ⑤ (Do not untie the positioning cord after setting up)

7



Stake down the guy lines at (6) (6 places) and adjust the tension of the ropes.


Congratulations, your tent is set up!

Note

When packing away, please buckle up the positioning cords before pulling out the pegs. The poles can be dangerous if they bounce to the sides.

4. Pack away the tent

Pack away the outer tent:



Spread out the outer tent and fold the sides towards the center



2. Fold it in half (short end to short end)



3. Fold it in half again



4. Put it over the folded inner tent



After stacking up the inner tent and the outer tent, put the bag of poles on top of the stack and roll them up.


Pack away the inner tent:



1. Spread out the inner tent and fold it in half (long end to long end)



2. Fold it in half (long end to long end)



3. Fold it in half (short end to short end)




4. Stack up with the folded outer tent




Buckle up and tighten the belt before putting it into the tent bag.

5. Space inside the tent




- 1 Vestibule: you can use a vestibule groundsheet
- 2 Dividing curtain: use the curtain based on your needs
- (3) Inner tent: refer to the figure on the right for space use

Maximum number of people sleeping in the inner tent



2 adults+ 3 children



6. Notes

- 1. When using the product, make sure all pegs and wind-resistant guy lines are fastened so the tent can provide the best performance.
- 2. This product is not flame resistant. Do not light a fire inside the tent in case any irreversible or irreparable damage is caused. Be careful of fire, lack of oxygen, and carbon monoxide poisoning when using heaters in the tent. Please set up the tent in a location with good ventilation and drainage and without natural and manned disasters.
- 3. Be aware of the weather. Please leave the campsite for a safe location in accordance to your evacuation plan if the weather gets bad. In the case of inclement weather or strong winds, please check your tent thoroughly to make sure all pegs and guy lines are fastened.
- 4. Before using the tent for the first time, please try to set up the tent and confirm the accessories and the steps for setting up the tent. To ensure the tent is used appropriately, please learn and understand how to use it. Please contact the vendor for any malfunctions.
- 5. When the temperature inside the tent is higher than the outside, water vapor will change into liquid water when it hits the wall of the flysheet and form droplets. This process is called condensation. Please keep the tent well ventilated to reduce this phenomenon.
- 6. The bottom end of the two rows of the door zipper is slightly unequal in length due to the manufacturing process. Do not pull the zipper too hard in case of damage.

Emergency Responses

With proper use and maintenance, the TiiTENT product can stay in good quality. Please be aware of the following important information to prevent damage to the product:

- 1. Accidents may damage the poles and fabric. Please bring repair kits (duct tape, guy lines, and tubes for reinforcements) with you at all times for immediate use.
- 2. If damage to the product is not fixed immediately, it may result in serious and even irreparable harm. If the fabric is torn or broken, please place duct tape over both sides of the fabric to prevent the damage from spreading or remove the damaged fabric.
- 3. Prolonged exposure to sunlight can cause colors to fade, weakening the strength of the fabric. Please bear in mind that the tent is not intended for use in prolonged settings in which they remain exposed to the sun. When the degradation caused by sunlight exceeds the endurance limit of the fabric, the damage will become permanent.
- 4. If the product is constantly damp, mold, stinky smells, color bleed, or fabric degradation may occur. Therefore, please make sure the product is fully dry before attempting to store it.
- 5. If the fabric becomes moldy due to humidity, the mildew might not be removed. However, please remove the mold on the surface and disinfect the fabric with alcohol. If the fabric is damaged by mold, leakage will occur.

Conditions Not Covered by our Warranty

Our products have undergone a rigid quality control process. Our warranty covers all the defects derived from errors during production; however, the following problems are not covered by our warranty.

Sorry for the inconvenience.

- 1. Damage caused by unexpected incidents.
- 2. Damage due to improper use or undue force.
- 3. Degradation of the materials over time or due to exposure to UV light.
- 4. Damage caused by defects not associated with production.
- 5. Damage from remodeling.

If you have any questions regarding the warranty, please contact the retailer where you have bought the product from for aftersales services.



Video for

Video for setting up the tent



Tsair Yih Industrial Co., Ltd. No.5, Xingye St., Xiaogang Dist., Kaohsiung City 812, Taiwan service@tiitent.com TEL:+886 7 8715879